

ALZHEIMER'S DISEASE DETECTION USING DEEP LEARNING

Mrs. K. Soniya Lakshmi¹, Varshini. S², Varshini. V³, Sowmiya. S⁴, Kanmani. T⁵, Mrs. B. Ananthi⁶

^{1,6}Assistant professor, Vivekanandha College of Engineering for Women, Tiruchengode, Tamilnadu(India),

^{2,3,4,5} UG Student of Vivekanandha College of Engineering for Women, Tiruchengode, TamilNadu(India).

Abstract— Alzheimer's disease, a gradual and degenerative brain illness, can cause cognitive decline as well behavioral changes. The condition affects not only the sufferer, but also those who care for them and society as a whole. This study uses convolutional neural networks (CNN) for MRI data and machine learning methods for EEG (electroencephalogram) data to classify new data as healthy or pathological. Our findings imply that integrating EEG and MRI (Magnetic Resonance Imaging) data with data augmentation techniques can lead to more accurate and reliable strategies for early identification and diagnosis of Alzheimer's. Alzheimer's disease (AD) is a progressive neurological ailment that affects a large number of people worldwide. Early identification of Alzheimer's disease is critical for effective treatment and management. Deep learning approaches have showed potential in predicting Alzheimer's disease development using diverse indicators such as neuroimaging data, genetic markers, and clinical information. This paper provides a deep learning approach for predicting Alzheimer's disease utilizing multimodal data fusion approaches. To improve prediction accuracy, we present a unique neural network architecture that incorporates data from many modalities. Experimental results on a large dataset show that the suggested method is more effective than existing approaches at accurately forecasting AD progression.

Keywords—CNN, MRI, EEG, ImageNet, Finetuning.

I. INTRODUCTION

Alzheimer disease cause of dementia among the elderly and affects millions around the world. Alzheimer's disease is incurable, advances gradually or fast, and can result in loss of independence and death. Alzheimer's disease is diagnosed using memory loss, cognitive impairment, medical history, as well as physical and neurological testing. These methods are subjective and may fail to detect early diseases. Thus, Alzheimer's disease detection and diagnosis must be objective and precise. Recent advances in medical imaging and machine learning have enabled the diagnosis of Alzheimer's disease using EEG and MRI data. MRI produces high-resolution brain images, whereas EEG measures brain electrical activity non-invasively. Machine learning algorithms can detect indicators for Alzheimer's disease in large EEG and MRI datasets. These algorithms can recognize new EEG and MRI data as healthy. This paper aims to investigate the use of EEG and MRI data in the detection of Alzheimer's disease using machine learning techniques. We

will analyze a dataset consisting of EEG recordings and brain MRI images from healthy and Alzheimer's disease affected individuals Using metrics such as sensitivity, specificity, and area under the curve, we will compare the accuracy of various machine learning algorithms for detecting Alzheimer's disease. Our findings will contribute to the development of more objective and accurate methods for early detection and diagnosis of Alzheimer's disease, leading to improved treatment and management of this debilitating disease

1.1 Deep Learning:

Deep learning represents a revolutionary approach to artificial intelligence, leveraging complex neural networks with multiple layers to automatically learn intricate patterns from vast amounts of data. At its heart are artificial neural networks, inspired by the structure of the human brain, with each layer processing information in a hierarchical manner to extract increasingly abstract features. Unlike traditional machine learning methods, deep learning eliminates the need for manual feature engineering by autonomously discovering relevant features from raw data. However, this power comes with computational demands, requiring substantial resources for training and handling large datasets. Despite challenges such as overfitting and interpretability, deep learning has fueled breakthroughs across diverse fields, including computer vision, natural language processing, healthcare, and finance. Its impact is felt in applications ranging from image classification and object detection to language translation and medical diagnosis, ushering in a new era of intelligent technology.

1.2 Objectives:

Detect subtle patterns and biomarkers indicative of Alzheimer's disease in brain imaging scans, including MRI and PET scans Provide objective and consistent diagnostic predictions, reducing variability and subjectivity in diagnosis. Enable early detection of Alzheimer's disease, allowing for timely intervention and treatment to potentially slow disease progression and improve patient outcomes and Results will be rigorously evaluated using test datasets, with comparisons existing methods and discussions in limitations and potential improvements. 3.The core of the study will focus on designing and implementing a CNN architecture optimized for Alzheimer's detection, with considerations for layers, activation functions, and model evaluation metrics such as accuracy, precision, recall, and F1-score. The training process

will involve hyperparameter tuning and optimization algorithms like Adam or SGD.

II. LITERATURE SURVEY

Alzheimer's disease detection using deep learning techniques: Author : Dan Pan Published year : 2020 Published in : IEEE EXPLORE

Researcher Dan Pan conducted an exhaustive literature survey on the utilization of deep learning techniques for Alzheimer's disease detection. By scrutinizing a diverse array of studies, including those utilizing MRI and PET scans, Pan aimed to delineate current methodologies, challenges, and advancements in the field. The survey highlighted the efficacy of deep learning models in distinguishing between healthy individuals and Alzheimer's patients, while also addressing interpretability, generalization, and scalability issues.

2.1 Multimodal deep learning model for the early stage detection of Alzheimer's :Author : Janani Venugopalan Published year :2019 Published in : PUMPED

Using a multimodal deep learning model for the early stage detection of Alzheimer's. They used DL to analyze the images, the genetics and the clinic latest data for classification of patients into AD, MCI and controls. Their study delved into the burgeoning field of medical image analysis, particularly utilizing advanced computational methods to analyze brain imaging data for early diagnosis of Alzheimer's disease. Leveraging the power of deep learning algorithms, the team developed and evaluated novel approaches for automatically detecting subtle patterns and magnetic resonance imaging (MRI).

2.2 Alzheimer's disease detection using deep learning represents significant contribution of medical imaging and computational neuroscience: Author : S. Sarraf Published year : 2019 Published in : IEEE EXPLORE

Sarraf and their team have made remarkable strides in the field of medical imaging and computational neuroscience with their groundbreaking research on Alzheimer's disease detection using deep learning. Their study, employing deep convolutional neural networks (CNNs) and recurrent neural networks (RNNs), achieved an impressive accuracy of 96.85% in distinguishing between AD patients and healthy individuals using fMRI data from the ADNI dataset.

2.3 Alzheimer's disease detection using deep learning : Author : Yan Wang et al Published year:2022 Published in : PUBMED

Yan Wang et al.'s research paper on Alzheimer's disease detection using deep learning showcases their innovative approach to leveraging deep learning techniques for improved diagnosis. Their methodology likely involves

the development and evaluation of deep learning models trained on extensive datasets of brain imaging data. Results from their study may demonstrate the superior accuracy of these models compared to traditional diagnostic methods, offering promising implications for clinical practice.

2.4 E.Alzheimer's disease detection using deep learning techniques.the study explores the application of advanced machine learning algorithms to analyze medical imaging data, magnetic resonance imaging (MRI) or positron emission tomography (PET) scans, for the purpose of diagnosing Alzheimer's disease :Author : Jie Zhang et al Published year : 2021 Published in : PUBMED

Jie Zhang et al.'s research paper delves into the utilization of deep learning techniques for Alzheimer's disease detection, particularly focusing on analyzing MRI and PET scans. Their methodology likely encompasses comprehensive data collection, preprocessing steps, and the development of specialized deep learning architectures tailored for Alzheimer's detection. Leveraging a sizable dataset of brain imaging scans emphasizing metrics like accuracy, sensitivity, specificity, and AUC.

2.5 Alzheimer's disease diagnostics by a deep learning method using selforganized neural cells. Author : Keiichi Horio, Takashi Murata, Osamu Ando Published year : 2023 Published in : IEEE EXPLORE

In their paper, "Alzheimer's disease diagnostics by a deep learning method using self-organized neural cells," authors Keiichi Horio, Takashi Murata, and Osamu Ando introduce a novel approach to Alzheimer's disease diagnosis leveraging deep learning techniques with self-organized neural cells. Unlike traditional neural network architectures, potentially enhancing diagnostic accuracy for the complex and varied datasets encountered in medical diagnosis.

2.6 Deep Learning Based Classification of Alzheimer's Disease Using 3DCNN and Transfer Learning:Author : Ahmad Chaddad, Rohit Shrivastava, Abdulmajeed Alsufyani Published year : 2020 Published in : PUBMED

In their paper titled "Deep Learning Based Classification of Alzheimer's Disease Using 3D-CNN and Transfer Learning," authors Ahmad Chaddad, Rohit Shrivastava, and Abdulmajeed Alsufyani propose an innovative approach to Alzheimer's disease classification. They leverage a combination of deep learning techniques, specifically 3D Convolutional Neural Networks (CNN), and transfer learning. 3D-CNNs are capable of extracting spatial and temporal features from volumetric data, making them well-suited for processing threedimensional neuroimaging data such as MRI scans commonly used in Alzheimer's disease diagnosis.

2.7 Early Diagnosis of Alzheimer's Disease Using Deep Learning Method Based on Hippocampus MRI Images:

Author : Yuanyuan Zhang, Ruijiang Li, Daguang Xu, et al.
Published year : 2020
Published in : IEEE EXPLORE

In their paper titled "Early Diagnosis of Alzheimer's Disease Using Deep Learning Method Based on Hippocampus MRI Images," authors Yuanyuan Zhang, Ruijiang Li, Daguang Xu, et al. propose a novel approach for the early detection of Alzheimer's disease (AD) utilizing deep learning techniques. Focusing specifically on hippocampus MRI images, a key region affected in AD, the authors aim to develop a precise and reliable diagnostic tool. Deep learning methods offer the capability to automatically extract intricate patterns and features from medical images.

III. SYSTEM ANALYSIS

Existing System are Alzheimer's disease detection using deep learning is like teaching a smart computer to look at pictures of the brain and recognize signs of Alzheimer's disease. We collect lots of brain images from people, some with Alzheimer's and some without. The computer learns to pick up on subtle differences in the images that are associated with Alzheimer's disease. These systems begin with the meticulous collection of large datasets comprising brain imaging scans, including MRI and PET scans, sourced from diverse sources such as hospitals, research institutions, and medical databases. Once collected, the brain images undergo meticulous preprocessing steps to standardize and enhance their quality. These preprocessing techniques include resizing the images to a standardized size, normalization to adjust intensity values, and noise reduction to improve image clarity. Moreover, data augmentation techniques are often employed to augment the dataset's diversity and improve the model's robustness by introducing variations such as rotation, flipping, and scaling.

The proposed system for Alzheimer's disease detection using deep learning integrates cutting-edge technology with meticulous data collection and validation processes to develop a robust and reliable diagnostic tool. Beginning with the acquisition of large and diverse datasets of brain imaging scans, including MRI and PET scans, from multiple sources, the system emphasizes data quality and balance between healthy individuals and Alzheimer's patients across various disease stages. The selection of an appropriate deep learning architecture, customized or adapted to suit the complexities of brain imaging data, is pivotal in the system's design. Model training involves optimizing parameters and mitigating overfitting through advanced techniques while validation efforts focus on assessing performance metrics across diverse patient populations and imaging modalities. By implementing this proposed system, we aim to advance early diagnosis, improve patient outcomes, and contribute to the ongoing efforts in Alzheimer's disease research and treatment.

IV. SYSTEM ANALYSIS

4.1 Existing system:

Alzheimer's disease detection using deep learning is like teaching a smart computer to look at pictures of the brain and recognize signs of Alzheimer's disease. We collect lots of brain images from people, some with Alzheimer's and some without. The computer learns to pick up on subtle differences in the images that are associated with Alzheimer's disease. These systems begin with the meticulous collection of large datasets comprising brain imaging scans, including MRI and PET scans, sourced from diverse sources such as hospitals, research institutions, and medical database.

4.2 Drawback :

Deep learning models require large amounts of high-quality labeled data for training

While deep learning models may perform well on the datasets they were trained on, their ability to generalize to new, unseen data is not guaranteed.

The use of deep learning models for Alzheimer's disease detection raises ethical concerns related to patient privacy, consent, and data security.

4.3 Proposed System:

The proposed system for Alzheimer's disease detection using deep learning integrates cutting-edge technology with meticulous data collection and validation processes to develop a robust and reliable diagnostic tool. Beginning with the acquisition of large and diverse datasets of brain imaging scans, including MRI and PET scans, from multiple sources, the system emphasizes data quality and balance between healthy individuals and Alzheimer's patients across various disease stages.

4.4 Advantages :

Deep learning models can identify subtle patterns and biomarkers in brain imaging scans that may indicate the presence of Alzheimer's disease at an early stage.

Deep learning models can analyze large amounts of complex data with high accuracy.

This scalability enables researchers to train models on comprehensive datasets, leading to more robust and reliable diagnostic tools.

V. SYSTEM DESIGN

5.1 Module description :

Detection and classification of skin diseases using deep learning consists of three modules.

- Disease Detection
- Disease classification
- Results of diagnosis

Disease Detection:

First, an image of the Alzheimer’s affected area is uploaded. With this uploaded image, it is then checked to see if it is actually a Alzheimer or not. If it is a disease then further classification will take place, if it is not a disease then a message will be displayed such as "not a Alzheimer’s disease".

Disease classification:

Once the Alzheimer’s disease is detected, it is then further classified, this classification is done by using deep learning techniques. For the accuracy of classification, CNN Architectures of deep learning are used.

Results of Diagnosis:

After the diagnosis of the disease is done, the name of the disease and suggestions to cure the disease are mentioned.

5.2 CNN Architecture :

The name “convolutional neural network” indicates that the network employs a mathematical operation called convolution. Convolutional networks are a specialized type of neural networks that use convolution in place of general matrix multiplication in at least one of their layers.




Fig No. 5.1 CNN Architecture 1

A convolutional neural network consists of an input layer, hidden layers and an output layer. In any feed-forward neural network, any middle layers are called hidden because their inputs and outputs are masked by the activation function and final convolution. In a convolutional neural network, the hidden layers include layers that perform convolutions. This product is usually the Frobenius inner product, and its activation function is commonly ReLU. As the convolution kernel slides along the input matrix for the layer, the convolution operation generates a feature map, which in turn contributes to the input of the next layer. This is followed by other layers such as pooling layers, fully connected layers, and normalization layers.

Convolutional layers:

Convolutional layers convolve the input and pass its result to the next layer. This is similar to the response of a neuron in the visual cortex to a specific stimulus. Each Convolutional neuron process data only for its receptive field.

REL-U:

ReLU(Rectified Linear Unit) is an activation layer in CNN to increase the training stage on neural networks that have advantages to minimize errors.

Pooling Layer:

Pooling layers reduce the dimensions of data by combining the outputs of neuron clusters at one layer into a single neuron in the next layer.

Fully Connected layers:

Fully connected layers connect every neuron in one layer to every neuron in another layer.




Fig No. 5.2 CNN Architecture 2

VI. RESULTS AND OUTPUTS




Fig No. 6.1 Output Images




Fig No. 6.2 Output Chart




Fig No. 6.3 Prediction graph

VII. CONCLUSIONS

This is based on the comparison and evaluation of recent work done in the prognosis and prediction of Alzheimer's disease using machine learning methods. Explicitly, the recent trends with respect to machine learning has been revealed including the types of data being used and the performance of machine learning methods in predicting early stages of Alzheimer's. It is obvious that machine learning tends to improve the prediction accuracy especially when compared to standard statistical tools. It can be transferred as a tool in hospitals so that it helps the patients with Alzheimer's disease. A bigger dataset can help us improve the performance of our models and decrease overfitting. Transfer learning is an extra approach that we might employ. This strategy involves training a model on a bigger dataset, such as ImageNet, and then fine tuning it using data from our Alzheimer's patient cohort. Even with a small dataset, this has the potential to help us improve the accuracy of our model. Finally, to improve the reliability of our Alzheimer's disease diagnostic model, we should consider integrating data from sources other than MRI.

7.1 FUTURE SCOPE

Deep learning architectures, including recurrent neural networks (RNNs), convolutional neural networks (CNNs), and generative modelling, have shown great promise in the field of Alzheimer's disease (AD) research. These advanced techniques have provided valuable insights and improved our understanding of the disease.

One important perspective is the integration of multiple modalities. Deep learning models should continue to explore the combination of various data sources, such as neuroimaging, genetics, and clinical data. By leveraging the complementary information from these modalities, we can enhance the accuracy of AD diagnosis, prognosis, and treatment response prediction. Integrating multimodal data can provide a more comprehensive view of the disease and enable the development of personalized treatment strategies.

Another key perspective is the analysis of longitudinal data. Furthermore, it is important to address the challenges associated with limited data availability in AD research. Deep learning techniques often require large amounts of labelled data for optimal performance. However, AD datasets are typically limited due to the difficulty and cost of data collection. To overcome this challenge, researchers can explore transfer learning techniques, where pre-trained models on related tasks or datasets are fine-tuned for AD analysis. Additionally, data augmentation strategies can artificially increase the available data's size and diversity, enabling more robust and generalizable models.

In terms of model interpretability, future research should focus on developing techniques to enhance the transparency and explainability of deep learning models in AD diagnosis and prediction. Interpretability in medical applications is crucial to gain the trust and acceptance of clinicians and ensure the ethical use of AI technologies. Efforts should be made to incorporate interpretable components, such as attention mechanisms or saliency maps, into deep learning architectures for AD analysis.

Deep learning architectures hold great potential for advancing our understanding of AD and improving diagnosis, prognosis, and treatment. By integrating multiple modalities, analyzing longitudinal data, addressing data limitations, enhancing interpretability, and fostering collaboration, we can pave the way for more accurate, efficient, and interpretable deep learning models in AD research. These efforts have the potential to transform clinical practice and contribute to the development of personalized and targeted interventions for individuals at risk or affected by AD.

REFERENCES

1. Gao, S., & Lima, D. (2022). A Review of The Application Of Deep Learning In The Detection Of Alzheimer's Disease. *International Journal of Cognitive Computing In Engineering*,
2. Jo, T., Nho, K., & Saykin, A. J. (2019). Deep Learning In Alzheimer's Disease: Diagnostic Classification And Prognostic Prediction Using Neuroimaging Data. *Frontiers In Aging Neuroscience*.
3. Liu, S., Masurkar, A. V., Rusinek, H., Chen, J., Zhang, B., Zhu, W., ... & Razavian, N. (2022). Generalizable Deep Learning Model For Early Alzheimer's Disease Detection From Structural Mri. *Scientific Reports*, 12(1), 17106.
4. N. An, H. Ding, J. Yang, R. Au, And T. F. A. Ang, "Deep Ensemble Learning For Alzheimer's Disease Classification," *J. Biomed. Informat.*, Vol. 105, May 2020, Art. No. 103411, Doi: 10.1016/J.jbi.2020.103411.
5. Pirrone, D., Weitschek, E., Di Paolo, P., De Salvo, S., & De Cola, M. C. (2022). Eeg Signal Processing And Supervised Machine Learning To Early Diagnose Alzheimer's Disease.
6. Rao, B.S. And Aparna, M., 2023. A Review On Alzheimer's Disease Through Analysis Of Mri Images Using Deep Learning Techniques. *Ieee Access*.
7. Williams, J. W., Plassman, B. L., Burke, J., & Benjamin, S. (2010). Preventing Alzheimer's Disease And Cognitive Decline. *Evidence Report/Technology Assessment*, (193), 1-727.

9. Yang, Q., Li, X., Ding, X., Xu, F., & Ling, Z. (2022). Deep Learning-Based Speech Analysis For Alzheimer's Disease Detection: A Literature Review. *Alzheimer's Research & Therapy*, 14(1), 1-16.

