

Design and Fabrication of Automatic Pneumatic Hammer Machine

Bhad Abhishek¹, Kiran Jangam², Aksahy Shiledar³, Vidya Deshmukh⁴, Mahesh Deshmukh⁵

¹Student, SND College of Engineering & RC, Yeola

²Student, SND College of Engineering & RC, Yeola

³Student, SND College of Engineering & RC, Yeola

⁴Student, SND College of Engineering & RC, Yeola

⁵Assistant Professor, Dept. of Mechanical Engineering SND College of Engineering & RC, Yeola

Abstract - The automation of industrial processes has significantly improved productivity, efficiency, and safety in manufacturing sectors. This research paper presents the design and fabrication of an automatic pneumatic hammer machine used for forging and shaping metal components. The machine operates using compressed air to drive a piston mechanism that delivers repetitive hammering action. Pneumatic systems offer advantages such as simplicity, low cost, and ease of maintenance compared to hydraulic and mechanical systems. The proposed system is designed to reduce manual effort and improve operational efficiency in small-scale industries. The fabrication includes key components such as a pneumatic cylinder, solenoid valve, compressor, frame, and control unit. The performance of the machine is analyzed in terms of stroke length, impact force, and operational speed. The results demonstrate that the developed system is efficient, cost-effective, and suitable for medium-duty applications. This machine can be widely used in workshops and manufacturing industries where repetitive hammering operations are required.

Key Words: Pneumatic system, Automatic hammer, Pneumatic cylinder, Solenoid valve, Compressed air, Fabrication, Automation

1. INTRODUCTION

In the modern era of industrialization, automation has become a fundamental requirement for achieving high productivity, precision, and efficiency in manufacturing processes. Industries are continuously striving to replace manual operations with automated systems to reduce human effort, minimize errors, and improve overall output quality. One such operation that traditionally depends heavily on manual labor is hammering, which is widely used in metal forming, forging, shaping, and assembly processes.

Manual hammering not only requires significant physical effort but also results in inconsistent output due to variations in human performance. Additionally, prolonged exposure to repetitive hammering tasks can lead to operator fatigue, reduced efficiency, and potential workplace injuries. Therefore, there is a growing need to develop automated solutions that can perform hammering operations with uniform force, higher speed, and improved safety.

Pneumatic systems offer an effective solution to this problem. These systems utilize compressed air to generate mechanical motion and are widely used in industrial automation due to their simplicity, reliability, and cost-effectiveness. Unlike hydraulic systems, pneumatic systems are cleaner, safer, and easier to maintain, making them highly suitable for small and medium-scale industries. The use of compressed air eliminates the need for complex mechanical linkages and reduces maintenance requirements.

The automatic pneumatic hammer machine is designed to convert the energy of compressed air into reciprocating motion using a pneumatic cylinder. This motion is then used to drive a hammering mechanism that delivers repeated impacts on the workpiece. The machine operates using essential components such as an air compressor, solenoid valve, pneumatic cylinder, and control unit. The solenoid valve regulates the airflow, enabling controlled and continuous hammering action.

1.1 PROBLEM STATEMENT

In modern manufacturing industries and small- to medium-scale workshops, hammering is a core operation essential to many processes such as forging, riveting, punching, and shaping of metals and other materials. Traditionally, this operation relies heavily on manual labor, where workers use hand-held hammers to perform repeated impact tasks. While the manual method is straightforward, it is also fraught with numerous drawbacks, including inconsistency in impact force, operator fatigue, increased safety risks, low productivity, and poor process reproducibility. As industries continuously strive for higher efficiency, accuracy, and quality control, manual hammering falls short in several areas. The force and frequency of manual impacts vary from worker to worker, leading to irregular results that may compromise product quality. Extended periods of repetitive manual hammering can cause significant operator fatigue, increasing the likelihood of errors and injuries such as musculoskeletal disorders. Additionally, manual labor requires continuous human involvement, inflating operational costs and reducing scalability—especially problematic in mass production settings. The technical problems that must be addressed include: Designing a machine capable of translating pneumatic

actuator motion into controlled hammer blows. Ensuring adjustability for different operational settings and impact requirements. Developing a compact, portable, and cost

effective system suitable for integration into various manufacturing environments.

1.2 Objectives

- 1) To design and develop a pneumatic system for automatic hammering operation.
- 2) To reduce manual effort and increase efficiency in hammering tasks.
- 3) To improve accuracy and consistency compared to manual hammering.
- 4) To minimize operator fatigue and enhance workplace safety.
- 5) To develop a cost-effective and user-friendly hammering system suitable for small-scale industries

1.3 METHODOLOGY

The following methodology will adopted for the design and development of a Pneumatic system for automatic hammering operation

- 1) Identification of problem and system requirements.
- 2) Conceptual design and planning of the pneumatic hammering system.
- 3) Selection of suitable pneumatic components.
- 4) Design and Fabrication of Automatic Pneumatic Hammer Machine
- 4) Design calculations for cylinder size, air pressure, and force.
- 5) Development of CAD model and simulation of system operation.
- 6) Fabrication of frame and assembly of components.
- 7) Integration of pneumatic and control systems..

2. THEORY OF PROJECT

An automatic pneumatic hammer machine utilizes compressed air as the primary source of power to automate the hammering process, replacing traditional manual operations. The pneumatic system consists of an air compressor, a pneumatic cylinder, valves, and connecting components such as pipes and linkages. The automation of the hammering operation allows for

uniform, repetitive, and high-frequency impacts, making the hammer suitable for applications like sheet metal work, forging, riveting, and repetitive striking tasks in manufacturing and fabrication industries. The automatic pneumatic hammer machine works on the principle of converting pneumatic energy (compressed air) into mechanical motion to perform repetitive hammering operations. Pneumatics is the branch of engineering that uses gas or pressurized air to create mechanical motion. The system mainly consists of an air compressor, control valves, and a pneumatic cylinder with a hammering tool. When compressed air from the compressor enters the




Fig. 1. Pneumatic Forging Machine

pneumatic cylinder, it pushes the piston forward. The piston rod connected to a hammer head converts this linear motion into a striking or hammering action on the workpiece. The control valve regulates the air supply so that the piston moves up and down repeatedly, producing continuous hammering. By using automation (through solenoid valves or timing circuits), the machine can be operated automatically without constant manual intervention. This ensures consistent striking force, improved accuracy, and higher productivity compared to manual hammering. The pneumatic system operates at moderate pressure (typically 6–10 bar) and is known for its safety, simplicity, and low maintenance. It eliminates the need for complex mechanisms like crankshafts or cams used in traditional mechanical hammers.

Working Principle-Compressed air from an air compressor is supplied to the pneumatic cylinder. A solenoid valve regulates the direction of air flow to cause reciprocating motion in the piston. The piston is connected to the hammer(punching)through mechanical linkages. On each forward stroke, the hammer delivers an impact, and the process repeats in an automated cycle.

3. ADVANTAGES & LIMITATIONS

3.1 ADVANTAGES:-

1 Increased Efficiency and Productivity: Automatic pneumatic hammer machines operate faster and can handle repetitive hammering tasks, which reduces

production time and increases overall efficiency compared to manual hammering.

2. **Uniformity and Precision:** Pneumatic power delivers consistent force, ensuring uniform and precise hammering—important for quality control in moulding and metalworking processes.

3. **Reduced Labor and Fatigue:** Automation decreases the need for manual labor, minimizing worker fatigue and the risk of injury, while also lowering labor costs.

4. **Versatility:** These machines are suitable for various applications such as foundries, metal forging, automotive, and components manufacturing, as they can be adjusted for different tasks and materials.

5. **Improved Quality:** Consistency in operation leads to fewer errors and defects in finished products, especially in casting and forming operations.

6. **Environmentally Friendly:** As pneumatic machines often use compressed air, they can be more sustainable compared to hydraulic counterparts that may use non-renewable oils. Design and Fabrication of Automatic Pneumatic Hammer Machine

3.2 LIMITATIONS:-

1. **Dependency on Compressed Air Supply:** The machine requires a constant and adequate supply of compressed air; interruptions can hinder operation and productivity.

2. **Noise and Vibration:** Pneumatic hammers can generate significant noise and vibration, leading to potential discomfort or health hazards for operators over time.

3. **Initial Cost and Maintenance:** While they lower labor costs, the initial investment for machinery and compressor setup can be high, and regular maintenance is needed for pneumatic components.

4. **Limited for Certain Materials:** Extremely hard or large workpieces may exceed the machine's capacity, requiring specialized or larger machines.

5. **Space Requirement:** Pneumatic hammer setups can require significant workspace, making them less suitable for very small workshops.

6. **Potential Air Leaks and Inefficiency:** Leakages in pneumatic lines can reduce efficiency and require frequent monitoring and repair.

4. SUMMARY

The project "Design and Fabrication of Automatic Pneumatic Hammer Machine" focuses on developing a compact and efficient system that uses compressed air to perform repetitive hammering operations automatically. The main objective is to reduce human effort, increase productivity, and improve accuracy in manufacturing and assembly processes. In this system, compressed air is supplied to a cylinder-piston mechanism, which converts pneumatic pressure into linear mechanical motion. This motion drives the hammer to strike the workpiece with controlled force and frequency. The machine operates

automatically using valves and a timing control mechanism, minimizing manual intervention. The design includes components such as air compressor, pneumatic cylinder, solenoid valve, control unit, and hammering tool. The frame is designed to withstand vibrations and repeated impacts during operation.

REFERENCES

[1] Prof. Tanuja Hulavale, Dr. Harish Harsurkar, Samsher Karande, Vishal Sutar, "Design, Cad Modeling & Fabrication Of Automatic Hammering Machine", International Journal Of Creative Research Thoughts, Volume 12, Issue 4, pp 45, ISSN: 2320-2882 April 2024.

[2] Manjunatha M, Dr. Vardhaman S M, " Design and Fabrication of Automated Hammering Machine", International Journal of Novel Research and Development, Volume 9, Issue 3, pp 752, ISSN: 2456-4184 March 2024.

[3] Mr. Vinodkumar H P, "Design and Development of PLC Controoled Pneumatic Pressing System", International Journal of Engineering Research and Technology, Volume 12, Issue 12, pp1, ISSN:2278-0181 December-2023.

[4]Ahmed Ali Mohammed Said Al Aamri, Syed Mudassir, Mithun Vinayaka Kulkarni, Armando Hipolito Azam Amer Said AlAwaid, "Modelling And Fabrication Of Power Hammer Machine", EPRA International Journal Of Multidisciplinary Research, Volume 9, Issue 11, pp 370 ISSN:2455-3662 November 2023.

[5] G. Kasinaidu, G. Srinivasu, A. Rajesh, O. Manideep, N. Abhishek, Dr. Pawan Kumar Singotia, "Design and Fabrication of Pneumatic Ramming Machine," International Journal of Research Publication and Reviews, Volume 4, Issue 6, pp1294, ISSN:2582-7421 June 2023.

[6] Shubham S. Pawar, Shivam S. Panchal, Mandar N. Badad, "Design and Fabrication of Automatic Hammering Machine", International Research Journal of Modernization in Engineering Technology and science, Volume 05, Issue 05, pp 125, ISSN:2582-5208 May 2023.

[7] Prof. Govind Devke, Mr. Vinayak Sonavwane, Mr. Arjun Patare, Mr. Akash Kolte, Mr. Shubham Kamble, " Automated Portable Hammering Machine", International Journal of Advanced Research in Science, Communication and Technology, Volume 2, Issue 8, pp 661, ISSN:2581-9429 June 2022.

[8] Jhunjhun Kumar Mishra, "Design and Fabrication of Automatic and Multifunctional pneumatic machine", International Journal Of Advance Research, Ideas And Innovations In Technology, Volume 5, Issue 2, pp115, ISSN:2454-132X May 2019.

[9] C. Senthil Kumar, "Design And Analysis Of Pneumatic Bearing Pusher And Puller", International Journal of Mechanical Engineering and Technology, Volume 9, Issue 11, pp 696, ISSN:0976-6340 November 2018.

[10] Karan Datt, "Analytical Description Of Pneumatic System", International Journal of Scientific and Engineering Research, Volume 04, Issue 9, pp1443, ISSN: 2229-5518 September 2013.