

A SURVEY ON IOT BASED HYDROPONIC SYSTEM

Dhiraj K. Shelke¹, Pranav N. Gavali², Komal P. Naphade³

1-3Student, Dept. of Computer Engineering, Sinhgad Academy of Engineering, Pune, Maharashtra, India ***

Abstract - The blast in human population has left scientists scrambling for arrangements on how to take care of the world. Moreover, provincial metropolitan movement i.e. rural-urban immigration has from one perspective left the farms in the rustic regions without farmers and then again has left the metropolitan regions over-populated. Hydroponic is a type of horticulture where yields are developed without soil. This *method permits the homesteads to follow the ranchers to the* metropolitan region. Also, the truth that no dirt is required, permits Hydroponic framework to be stacked upward (otherwise called vertical cultivating) to save space. The last outskirts in tank-farming is mechanization or automation. It will permit one rancher to work more than one work and develop more than one homestead at the same time. This paper gives an exhaustive review on brilliant Hydroponic framework created to date.

Key Words: Hydroponic, Soil, Water, Study.

1. INTRODUCTION

The dirt is a significant part of agribusiness [12]: it gives support for the plants, it additionally give supplement to the plants and the soil give a home to a portion of the microbial living being that frames a beneficial interaction relationship with the plants. Be that as it may, this multitude of fixings can be given hydroponics. Hydroponics is the interaction of developing plants without soil [13, 12]. Proof of hydroponics was found in the Egyptian divider painting [14]. There are many advantages to hydroponics [12]: 1) it doesn't need soil, 2) it is quicker than conventional cultivating, 3) it requires less space and can be filled in any area, 4) it is unaffected via occasional change, 5) practically no pesticides and herbicides are required 6) Plants get total reach of supplements they need at the amount they need it, 7) Plants are secured against infections and irritations, 8) It can be utilized to seclude crops during tests [15,16,17,18]. The term Hydroponics was derived from the Greek words hydro which means water and ponos which implies work. It is a technique for developing plants utilizing mineral supplement arrangements, without soil .Hydroponics is the procedure of developing plants in soil-less condition with their foundations inundated in supplement arrangement. This framework assists with confronting the difficulties of environmental change and likewise helps underway framework the executives for effective usage of normal assets and alleviating lack of healthy sustenance

First there is a requirement for an area or developing region where the framework is going to be introduced since hydroponics require just water any space could be utilized for it. The repository is a holder that stores

the supplement arrangement utilized by the framework. Supplements in a decent hydroponic framework should contain the ideal degree of; oxygenation, saltiness, pH, and conductivity of nutrient solution [19]. The hydroponics fertilizers contain six essential nutrients: N, P, S, K, Ca and Mg, which are fed to the plants in form of mutual ratio of anions: NO-3, H2PO-4 and SO2-4, and the mutual ratio of cations K+ ,Ca2+ and Mg2+ [20]. Light is vital for photosynthesis, right up different sources of light are utilized to give lighting in lieu of the sun. Different variables that might be considered are; surrounding temperature, nutrient solution temperature, photoperiod, and humidity of air.

2. VARIOUS TECHNIQUES FOR SOIL-LESS CULTURE

Enormous quantities of hydroponic/soil-less culture methods are accessible. Nonetheless, following variables are thought of as in choosing a strategy:

- 1. Space and other accessible assets
- 2. Anticipated usefulness
- 3. Accessibility of reasonable developing medium


4. Anticipated nature of the produce - shading, appearance, free from pesticides, and so forth

We can classify the techniques as follows:


2.1 Hydroponic System Techniques

It is otherwise called Liquid Hydroponics_technique. Plants developed in arrangement culture have their foundations suspended straightforwardly in a supplement arrangement. It can additionally be characterized into

- i) Circulating strategies (shut system)/Continuous stream arrangement culture
 - a) Nutrient Film Technique (NFT)
 - b) Deep Flow Technique (DFT)








b)

Fig -1: Different circulating Strategies (a) Nutrient film technique, (b) Deep flow technique [4]

Streaming arrangement culture systems can give a predictable supplement climate for roots. They are exceptionally agreeable to programmed control however are dependent upon quick plant parching if the progression of arrangement stops under any circumstance. Hence regular consideration is required.

- ii) Non-Circulating Strategies
 - a) Root dipping technique
 - b) Floating technique



a)



b)

Fig -2: Different Non- circulating Strategies (a) Root Dipping, (b) Floating

2.2 Rundown of Crops that can be grown in Soil-Less Condition

Everything beginning from blossom to organic product harvests to restorative plants can be developed utilizing soilless culture.

Table 1: List of crops that can be grown on commercial level using soil-less culture [5]

Type of Crops	Name of the Crops	
Cereals	Oryza sativa (Rice), Zea mays	
	(Maize)	
Fruits	Fragaria ananassa	
	(Strawberry)	
Vegetables	Lycopersicon esculentum	
	(Tomato), Capsicum	
	frutescens (Chilli), Solanum	
	melongena (Brinjal),	
	Phaseolus vulgaris (Green	
	bean), Beta vulgaris (Beet),	
	Psophocarpus	
	tetragonolobus (Winged	
	bean), Capsicum annum (Bell	
	pepper), Brassica oleracea	
	var. capitata (Cabbage),	
	Brassica oleracea var.	
	botrytis (Cauliflower), Cucumis sativus	
	(Cucumbers), Cucumis melo	
	(Melons), Raphanus sativus	
	(Radish), Allium cepa	
	(Onion)	
Leaf Vegetables	Lactuca sativa (Lettuce),	
lear vegetables	Ipomoea aquatica (Kang	
	Kong)	
Condiments	Petroselinum crispum	
	(Parsley), Mentha spicata	
	(Mint), Origanum vulgare	
	(Oregano)	
Flowers/Ornamental Crops	Tagetes patula (Marigold),	
· · · ·	Rosa berberifolia (Roses),	
	Dianthus caryophyllus	
	(Carnations),	



International Research Journal of Engineering and Technology (IRJET)

IRJET Volume: 08 Issue: 12 | Dec 2021

www.irjet.net

	Chrysanthemum indicum (Chrysanthemum)	
Medicinal Crops	Aloe vera (Indian Aloe), Solenostemon scutellarioides (Coleus)	
Fodder Crops	Sorghum bicolor (Sorghum), Medicago sativa (Alphalfa), Hordeum vulgare (Barley), Cynodon dactylon (Bermuda grass)	

Table 2: Hydroponic averages compared with ordinary soil yields [5]

Name of Crops	Hydroponic	Agricultural
	equivalent per	average per
	acre	acre
Wheat	5,000 lb.	600 lb.
Oats	3,000 lb.	850 lb.
Rice	12,000 lb.	750-900 lb.
Maize	8,000 lb.	1,500 lb.
Soybean	1,500 lb.	600 lb.
Potato	70 tons	8-10 tons lb.
Beetroot	20,000 lb.	9,000 lb.
Cabbage	18,000 lb.	13,000 lb.
Peas	14,000 lb.	2,000 lb.
Tomato	180 tons	5-10 tons
Cauliflower	30,000 lb.	10-15,000 lb.
French Bean	42,000 lb.	-
Lettuce	21,000 lb.	9,000 lb.
Lady's Finger	19,000 lb.	5-8,000 lb.
Cucumber	28,000 lb.	7,000 lb.

Table 3: Vegetable production under soil-less culture inIndia [5]

Vegetables	Production (g/m2/day)
Carrot	56.5
Cucumber	226
Garlic	57
Ginger	57
Leek	57
Green Bean	113
Lettuce	226
Onion	56.5
Peapod	113
Potato	56.5
Salad greens	226
Tomato	113
Greens	113

Utilization of pesticides is for the most part kept away from under hydroponics system. With diminished nuisance issues and consistent taking care of supplements to the roots, usefulness in hydroponics is high, notwithstanding restricted plant development by the low degrees of carbon di-oxide in the air, or restricted light [5]. To increment yield further, some fixed nurseries infuse carbon-di-oxide into their current circumstance to help development (CO2 enhancement), or add lights to protract the day, control vegetative development and so on.

3. NUTRIENTS SUPPLY TO PLANTS

In hydroponics, on account of restricted supplement buffering limit of the system and the capacity to roll out fast improvements, cautious observing of the system in necessary [5]. Two parts of sustenance should be thought of: the stock of supplements from the supplement conveyance system and the plant supplement reaction. For most normal yield plants basic levels for most supplements not really settled. Wellsprings of supplement components with their attributes are given in table 4.

Table 4: Sources of nutrient elements with their	
characteristics [5]	

Source	Element	Characteristic
Potassium nitrate	N, K	Very Soluble salt
KNO3		
Potassium phosphate	Р, К	Corrects Phosphorus
monobasic KH2PO4		deficiency
Magnesium sulfate	S, Mg	Cheap, Highly
MgSO4		soluble, Pure Salt
Iron chelate	Fe Cit	Best sources of iron
Boric acid H3BO3	В	Best source of boron
Calcium nitrate	N, Ca	Very soluble Salt
Ca(NO3)2		

The recurrence and volume of the supplement arrangement applied relies upon the sort of substrate utilized (volume and physical chemical attributes), the harvest (species and phase of advancement), the size of the compartment, the harvest and water system systems utilized and the predominant climatic conditions. Plants ought to be taken care of daily [5]. The best an ideal opportunity to control the supplement arrangement is somewhere in the range of 6.00 and 8.00 am, however water necessities will fluctuate impressively for the duration of the day, and over time one day to another. The arrangement ought to be applied to the roots, attempting to try not to wet the leaves to forestall harm and the presence of infections. By no means ought to plants be permitted to experience the ill effects of water pressure, as this will influence their last yield [6]. It is for the most part suggested that you apply just water to the plants one time per week, to flush away any abundance salts that have remained. Utilize twofold the measure of water typically applied, however without adding supplements. Somewhere in the range of 20 and half of the arrangement ought to be depleted off to forestall the amassing of poisonous particles and an unnecessary increment of electrical conductivity in the root area [5]. The abundance

supplement arrangement that is emptied away out of holders during every day watering can be reused in the following watering. Toward the week's end, this fluid can be disposed of.

4. NUTRIENT SOLUTIONS AND DESIRABLE pH RANGE

In hydroponic systems, pH is continually changing as the plant develops. Changes in pH of under 0.1 unit are not Significant [6]. Along these lines pH control is a need in hydroponic arrangements. The pH scope of 5.5 to 6.5 is ideal for the accessibility of supplements from most supplement answers for most species, however species vary altogether and a few can develop well outside of this range [6].

5. BENEFITS OF SOIL-LESS CULTURE

There are many benefits of developing plants under soil-less culture over soil-based culture [8]. These nurseries produce the best harvests with exceptional returns and are reliably solid; planting is perfect and incredibly simple, requiring very little effort [9]. Here supplements are taken care of straightforwardly to the roots, subsequently plants become quicker with more modest roots, plants might be developed closer, and just 1/fifth of generally speaking space and 1/twentieth of aggregate water is expected to develop plants under soil-less culture in correlation with soil-based culture[9]. There is no possibility of soil-borne creepy crawly bug, infection assault or weed invasion as well. By and large soil-less culture gives proficient supplement guideline, higher thickness planting, and prompting expanded yield per section of land alongside better nature of the produce. It is likewise successful for the locales of the World having shortage of arable or rich land for agriculture [10].

6. LIMITATION OF SOIL-LESS CULTURE

In spite of many benefits, soil-less culture has a few limitations [10]. Application on business scale requires however, specialized information and high starting venture, returns are high [10]. Considering the significant expense, the dirt less culture is restricted to high esteem crops. Extraordinary consideration is required regarding plant wellbeing control. At long last energy inputs are important to run the system [11].

7. FUTURE SCOPE OF THIS TECHNIQUE

Hydroponics is the quickest developing area of farming, and it could overwhelm food creation in the future [3]. As populace increments and arable land decays because of helpless land the executives, individuals will go to new advancements like hydroponics and aeroponics to make extra channels of crop production [4]. To get a brief look at the fate of hydroponics, we want just to look at a portion of the early adopters of this science [5]. In Tokyo, land is amazingly significant because of the flooding populace. To take care of the residents while safeguarding important land mass, the nation has gone to hydroponic rice production [6]. The rice is reaped in underground vaults without the utilization of soil. Since the climate is impeccably controlled, four patterns of reap can be performed yearly, rather than the customary single harvest [12]. Hydroponics likewise has been utilized effectively in Israel which has a dry and bonedry climate [11]. An organization called Organitech has been developing yields in 40-foot (12.19-meter) long transportation holders, utilizing hydroponic systems. They develop enormous amounts of berries, citrus foods grown from the ground, all of which couldn't ordinarily be filled in Israel's climate [11].

There has as of now been a lot of buzz all through the academic local area for the possibility to utilize hydroponics in underdeveloped nations, where water supplies are limited [3-6]. However the forthright capital expenses of setting up hydroponics systems is right now an obstruction however over the long haul, likewise with all innovation, costs will decrease, making this choice significantly more feasible[5-7]. Hydroponics can take care of millions in spaces of Africa and Asia, where both water and yields are scant.

Hydroponics likewise will be imperative to the fate of the space program [12]. NASA has broad hydroponics research plans set up, which will help current space investigation, also as future, long haul colonization of Mars or the Moon[11]. As we haven't yet found soil that can uphold life in space, and the coordination of moving soil by means of the space transports appears illogical, hydroponics could be vital to the fate of room exploration [11]. The advantages of hydroponics in space are twofold: It offers the potential for a bigger assortment of food, and it gives a natural angle, called a bio-regenerative life support system [12]. This just implies that as the plants develop, they will assimilate carbon-di-oxide and lifeless air and give restored oxygen through the plant's normal developing process. This is significant for long-range residence of both the space stations and other planets [5].

8. CONCLUSION

The business is relied upon to fill dramatically additionally in future, as states of soil developing is becoming troublesome. Uncommonly, in a nation like India, where metropolitan substantial aggregate is developing every day, there is no choice except for taking on soil-less culture to assist with working on the yield and nature of the produce so that we can guarantee food security of our country. Notwithstanding, Government intercession and Research Institute interest can drive the utilization of this innovation.

ACKNOWLEDGEMENT

At the outset, we are greatly indebted to our guide, Prof. A. Adapanawar, Head, Department of Computer Engineering, for his advice, creative guidance, valuable suggestions, support and encouragement throughout the project. Our sincere thanks to Dr. K. P. Patil, Principal, Sinhgad Academy of Engineering, Mysore, for his encouragement and constant support. We would like to thank our project coordinators Prof. S. N. Shelke, Department of Computer Engineering for their support and guidance.

Also Thanking to Mamta D. Sardare, Shraddha V. Admane, Assistant Professor, MIT Academy of Engineering Alandi Pune, as we have used their paper for major reference part.

REFERENCES

- [1] Ellis, N.K., Jensen, M., Larsen, J. and Oebker, N., -Nutriculture Systems—Growing Plants Without Soil||. Station Bulletin No. 44. Purdue University, Lafayette, Indiana.(1974)
- [2] Beibel, J.P., —Hydroponics -The Science of Growing Crops without Soil||. Florida Department of Agric. Bull. p. 180, (1960.)
- [3] Butler, J.D. and Oebker, N.F., —Hydroponics as a Hobby— Growing Plants without Soil||. Circular 844. Information Office, College of Agriculture, University of Illinois, Urbana, IL 61801. (2006.)
- [4] Maharana, L. and Koul, D.N... The emergence of Hydroponics. Yojana (June). 55 : 39-40.(2011)
- [5] Singh, S. and Singh, B. S... –Hydroponics A technique for cultivation of vegetables and medicinal plants||. In. Proceedings of 4th Global conference on –Horticulture for Food, Nutrition and Livelih,ood Options|| Bhubaneshwar, Odisha, India. p.220. (2012)
- [6] De Kreij C; Voogt W; Baas R (1999). Nutrient solutions and water quality for soilless cultures. Research Station for Floriculture and Glasshouse Vegetables (PBG), Naaldwijk, The Netherlands, Brochure 196
- [7] Raviv M; Krasnovsky A; Medina S; Reuveni R (1998). Assessment of various control strategies for recirculation of greenhouse effluents under semi-arid conditions. Journal of Horticultural Science and Biotechnology, 73(4), 485–491
- [8] Savvas D (2002). Nutrient solution recycling in hydroponics. In: HydroponicProduc tion of Vegetables and Ornamentals (Savvas D; Passam H C, eds), pp 299– 343. Embryo Publications, Athens, Greece
- [9] Silberbush M; Ben-Asher J (2001). Simulation study of nutrient uptake by plants from soilless cultures as affected by salinity buildup and transpiration. Plant and Soil, 233, 59–69
- [10] Sonneveld C (2000). Effects of salinity on substrate grown vegetables and ornamentals in greenhouse horticulture. PhDThesis, University of Wageningen, The Netherlands

- [11] Van Os E A; Gieling Th H; Ruijs M N A (2002). Equipment for hydroponicinstallations. In: HydroponicProduction of Vegetables and Ornamentals (Savvas D; Passam H C, eds), pp 103–141. Embryo Publications, Athens, Greece
- [12] T. Baras, DIY Hydroponic Gardens: How to Design and Build an Inexpensive System for Growing Plants in Water. Cool Springs Press, 2018. [Online]. Available: https://books.google.com.sa/books?id=rwlMDwAAQBAJ
- [13] D. Singh, J. Davidson, and M. Books, Introduction to Hydroponics - Growing Your Plants Without Any Soil, ser. Gardening Series. Mendon Cottage Books, 2016.
 [Online]. Available: https://books.google.com.sa/books?id=RAMtDQAAQBAJ
- [14] M. Raviv and J. Lieth, Soilless Culture: Theory and Practice. Elsevier Science, 2007. [Online]. Available: https://books.google.com.sa/books?id=NvDHJxRwsgYC
- [15] W. Ke and Z. Xiong, "Difference of growth, copper accumulation and mineral element uptake in two elsholtzia haichowensis populations under copper and mineral nutrition stress," in 2008 2nd International Conference on Bioinformatics and Biomedical Engineering. IEEE, 2008, pp. 4704–4708.
- [16] H. Wang, Y. Wang, and Y. Yang, "Effects of exogenous phenolic acids on roots of poplar hydroponic cuttings," in 2011 International Conference on Remote Sensing, Environment and Transportation Engineering. IEEE, 2011, pp. 8245–8249.
- [17] N. Suzui, N. Kawachi, M. Yamaguchi, N. S. Ishioka, and S. Fujimaki, "A monitoring system of radioactive tracers in hydroponic solution for research on plant physiology," in 2009 1st International Conference on Advancements in Nuclear Instrumentation, Measurement Methods and their Applications. IEEE, 2009, pp. 1–3.
- [18] M. Liu, X. Xi, S. Wang, Y. Xu, and W. Song, "Research on differences of component and quantity of organic acids in the root exudates among the three green manures," in World Automation Congress 2012. IEEE, 2012, pp. 1–4.
- [19] G. Gupta, Text Book of Plant Diseases. Discovery Publishing House, 2004. [Online]. Available: https://books.google.com.sa/books?id=OuoicDXQ-xYCT. Kaewwiset and T. Yooyativong, "Estimation of electrical conductivity and ph in hydroponic nutrient mixing system using linear regression algorithm," in 2017 International Conference on Digital Arts, Media and Technology (ICDAMT). IEEE, 2017, pp. 1–5
- [20] T. Kaewwiset and T. Yooyativong, "Estimation of electrical conductivity and ph in hydroponic nutrient mixing system using linear regression algorithm," in 2017 International Conference on Digital Arts, Media and Technology (ICDAMT). IEEE, 2017, pp. 1–5.



BIOGRAPHIES



Dhiraj K. Shelke Student, Sinhgad Academy of Engineering Kondhwa, Pune, Maharashtra, India



Pranav N. Gavali Student, Sinhgad Academy of Engineering Kondhwa, Pune, Maharashtra, India



Komal P. Naphade Student, Sinhgad Academy of Engineering Kondhwa, Pune, Maharashtra, India